



Product Description

U9 is an 11ac dual band Wi-Fi Adapter. 5GHz wireless speed of U9 can be up to 433Mbps and 2.4 GHz can be up to 200Mbps. The advanced technology MU-MIMO has been used on U9 which can improve data transfer efficient and provide a smoother streaming. With internal drive, can automatically complete installation once plugged into your computer. With a compact and mini designed, U9 has no effect on usage of neighboring ports. U9 also Compatible with Windows (XP/7/8/8.1/10), can satisfy with various user requirements.

U9 come with the next generation Wi-Fi standard -Fast WiFi technology - 802.11ac, the transfer rate is 3 times faster than wireless N. Selectable dual 5 GHz (433 Mbps) and 2.4 GHz (200 Mbps) bands making it ideal for HD video streaming.

U9 come with 11ac MU-MIMO (Multiple User - Multiple Input Multiple Output) technology, use with the AP which supports MU-MIMO, communicate with multiple devices simultaneously on U9 is available, so the transmission performance has been significantly improved.

With internal drive, U9 can automatically complete installation once plugged into your computer, releasing you from troublesome configuration, and installation using CD or drive.

With compact and sleek design, it's smaller than most 11ac Wi-Fi USB adapters available and easy to carry. Users can connect the mini adapter to any USB port and has no effect on usage of neighboring ports.

U9 is compatible with Windows XP, Windows 7, Windows 8, Windows 8.1 and Windows 10 etc., satisfying wireless internet connection demands of desktop computers, notebooks and other devices.

| | |
|------------------------|--|
| Interface | USB2.0 |
| Dimensions (W X D X H) | 36.8mm*18.5mm*7.6mm(L x W x H) |
| Antenna Type | Internal PIFA Antenna |
| Wireless Standards | IEEE802.11b, IEEE 802.11g, IEEE 802.11n, IEEE 802.11a, IEEE 802.11ac |
| Frequency | 5 GHz 2.4 GHz |
| Signal Rate | 11ac: Up to 433Mbps 11b: Up to 200Mbps |
| Transmit Power | <20dBm (EIRP) |
| Wireless Modes | Station Mode |
| Wireless Security | 64/128-bit WEP, WPA-PSK / WPA2-PSK, WPA / WPA2 |
| Certification | CE, FCC, RoHS |
| Package Contents | 1*Wireless Adapter U9 1* Install Guide |
| System Requirements | windows10, Windows 8.1, Windows 8, Windows 7, Windows XP |
| Environment | Operating Temperature: 0°C~40°C (32°F~104°F) Storage Temperature: -40°C~70°C (-40°F~158°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing |
| Related Products | AC6, AC9, AC15 |

SHENZHEN TENDA TECHNOLOGY CO.,LTD.

Tenda Technology Bldg.Int'l E-City,
#1001 Zhong Shan Yuan Rd.,Nanshan District,Shenzhen China.

E-mail:support@tenda.com.cn

Tel:+86-755-2765 7098

Fax:+86-755-2765 7178

PC:518055